


# Radiator Valves



FINISHING TOUCHES FOR  
HOT STYLES

# DESIGNER VALVES

Fine details make all the difference, and a beautiful radiator deserves an equally attractive finishing touch. Radiator valves need not be dull to be efficient; they can be miniature works of art in their own right. To recognize the explosion of styles in heating design, MHS matches its radiator portfolio with an unrivalled range of designer valves for both period and contemporary settings, including straight, angled and TRV options.

## Solar

The gloss, chrome-finished Solar is unapologetically cutting edge in style, seamlessly blending with either contemporary or retro style radiators.



Solar Angled



Solar Straight

## Gyro

The Gyro offers a spectrum of 10 different colour choices, including chrome and gold finishes to match any décor scheme.



Gyro Angled



Gyro Coloured Heads

Black - RAL 9005    Green - RAL 6024  
 Matt & Gloss      Yellow - RAL 1003  
 Brown - RAL 8011    Ivory - RAL 1015  
 Blue - RAL 5003    White - RAL 9010  
 Red - RAL 3000    Chrome & Gold



Gyro Angled Gold



Gyro Straight



Gyro TRV Straight



Gyro TRV Angled



Sunny

## Sunny

Designed to complement its popular Sunny radiator, MHS provides the matching Sunny valve, which has ultra-sleek lines and subtle styling for the most discreet of finishes. Finished in chrome & gold.

## Belgravia

With two fashionable finishes to choose from, and a timeless design, the Belgravia is a real chameleon, equally at home on a futuristic towel radiator or a cast iron column retro model.



Belgravia Angled

Belgravia Angled Gold



Radius Angled



Radius Straight

## Radius

For those who feel that less is more, the smooth, unfussy lines of the Radius will appeal. Minimalist in character, it gives an uncluttered finish to the modern radiator.



Belgravia Straight



Chartwell 3/4"



Chartwell TRV 1/2"

## Chartwell

Stately by name and stately by nature, the Chartwell is the perfect accompaniment to the traditional radiator. Cast in solid brass, it combines modern efficiency with a period design.




Chartwell 1/2"



## Gyro Valves


Gyro valves are available in 1/2" connection sizes. Lockshield and control valves have the same dimensional detail.

Angled Valve



A	B	C	D
55	54	34	18

Straight Valve




A	B	C	D
97	54	15	18

## Gyro TRV Valves


Gyro thermostatic valves are available in 1/2" connection sizes. Refer to the standard valve for the lockshield dimensional detail.

Straight TRV Valve



A	B	C	D
97	104	15	18


Angled TRV Valve




A	B	C	D
55	104	15	18

## Solar Angled Valves

Solar angled valves are available in 1/2" connection sizes.




A	B	C	D
61	75	37	20




A	B	C	D
61	32	39	14

## Solar Straight Valves

Solar straight valves are available in 1/2" connection sizes.




A	B	C	D
100	77	14	20




A	B	C	D
100	30	14	12.5

## Radius Angled Valves

Radius angled valves are available in 1/2" connection sizes.




A	B	C	D
60	51	34	13




A	B	C	D
60	31	34	13

## Radius Straight Valves

Radius straight valves are available in 1/2" connection sizes.




A	B	C	D
95	52	13	13




A	B	C	D
95	33	13	13

## Belgravia Valves

Belgravia valves are available in 1/2" connection sizes. Lockshield and control valves have the same dimensional detail.




A	B	C	D
99	70	10	32



A	B	C	D
60	75	35	32

## Sunny Valves


Sunny valves are available in 1/2" connection sizes. Lockshield & control valves have the same dimensional detail.



A	B	C	D
35	45	27	17

## Chartwell TRV Valves


The Chartwell TRV valve is available in 1/2" connection sizes. Lockshield detail as per non TRV valve.




A	B	C	D
60	100	36	24

## Chartwell 1/2" Valves

Chartwell valves are available in 1/2" or 3/4" connection sizes.




A	B	C	D
60	65	36	24




A	B	C	D
60	42	36	15

## Chartwell 3/4" Valves

Chartwell valves are available in 1/2" or 3/4" connection sizes.



A	B	C	D
61	70	26	24



A	B	C	D
61	43	26	15

Feature Radiators Limited

Tel: 01274 567789 Fax: 01274 561183 Email: [contactus@featureradiators.co.uk](mailto:contactus@featureradiators.co.uk)

[www.featureradiators.com](http://www.featureradiators.com)

This publication is issued subject to alteration or withdrawal without notice. The illustrations and specifications are not binding in detail. All offers and sales are subject to the Company's current terms and conditions of sale.