

feature radiators

BORDO

Price list with effect from 1st February 2012



Huge selection of sizes



Bordo MW600/4/10 in white wall-mounted (without feet)
592mm high x 470mm wide



Bordo MW600/4/10 in white floor-standing (with feet)
712mm high (inc. feet) x 470mm wide

2 columns deep (depth = 66mm, distance wall to front face = 98mm)

492mm high (wall-mounted) / 612mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White (RAL 9010)	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-500/2/5	492	612	245	5	236	804	100	143
MW-500/2/6	492	612	290	6	283	964	113	156
MW-500/2/7	492	612	335	7	329	1124	125	168
MW-500/2/8	492	612	380	8	378	1288	138	181
MW-500/2/9	492	612	425	9	424	1448	151	194
MW-500/2/10	492	612	470	10	471	1608	163	206
MW-500/2/11	492	612	515	11	518	1768	176	219
MW-500/2/12	492	612	560	12	565	1928	188	231
MW-500/2/13	492	612	605	13	613	2092	201	244
MW-500/2/14	492	612	650	14	660	2252	214	257
MW-500/2/15	492	612	695	15	707	2412	226	269
MW-500/2/16	492	612	740	16	754	2572	239	282
MW-500/2/17	492	612	785	17	801	2734	252	295
MW-500/2/18	492	612	830	18	848	2895	264	307
MW-500/2/19	492	612	875	19	896	3056	277	320
MW-500/2/20	492	612	920	20	943	3217	290	333
MW-500/2/21	492	612	965	21	990	3377	307	350
MW-500/2/22	492	612	1010	22	1037	3538	319	362
MW-500/2/23	492	612	1055	23	1084	3699	332	375
MW-500/2/24	492	612	1100	24	1131	3860	345	388
MW-500/2/25	492	612	1145	25	1178	4021	357	400

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks

More sizes and important information on the following pages.

feature radiators

2 columns deep (depth = 66mm, distance wall to front face = 98mm)

592mm high (wall-mounted) / 712mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White (RAL 9010)	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-600/2/5	592	712	245	5	277	947	103	146
MW-600/2/6	592	712	290	6	333	1137	117	160
MW-600/2/7	592	712	335	7	389	1327	130	173
MW-600/2/8	592	712	380	8	443	1513	143	186
MW-600/2/9	592	712	425	9	499	1703	157	200
MW-600/2/10	592	712	470	10	555	1893	170	213
MW-600/2/11	592	712	515	11	610	2082	183	226
MW-600/2/12	592	712	560	12	666	2271	197	240
MW-600/2/13	592	712	605	13	721	2460	210	253
MW-600/2/14	592	712	650	14	776	2649	223	266
MW-600/2/15	592	712	695	15	832	2838	237	280
MW-600/2/16	592	712	740	16	887	3027	250	293
MW-600/2/17	592	712	785	17	943	3217	263	306
MW-600/2/18	592	712	830	18	998	3406	277	320
MW-600/2/19	592	712	875	19	1054	3595	290	333
MW-600/2/20	592	712	920	20	1109	3784	303	346
MW-600/2/21	592	712	965	21	1164	3973	321	364
MW-600/2/22	592	712	1010	22	1220	4162	334	377
MW-600/2/23	592	712	1055	23	1275	4351	348	391
MW-600/2/24	592	712	1100	24	1332	4543	361	404
MW-600/2/25	592	712	1145	25	1387	4734	374	417

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks

2 columns deep (depth = 66mm, distance wall to front face = 98mm)

1792mm high (wall-mounted) / 1912mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-1800/2/5	1792	1912	245	5	788	2689	173	216
MW-1800/2/6	1792	1912	290	6	946	3226	200	243
MW-1800/2/7	1792	1912	335	7	1103	3764	227	270
MW-1800/2/8	1792	1912	380	8	1261	4302	255	298
MW-1800/2/9	1792	1912	425	9	1418	4840	282	325
MW-1800/2/10	1792	1912	470	10	1576	5377	309	352
MW-1800/2/11	1792	1912	515	11	1734	5915	336	379
MW-1800/2/12	1792	1912	560	12	1891	6453	363	406
MW-1800/2/13	1792	1912	605	13	2049	6991	391	434
MW-1800/2/14	1792	1912	650	14	2206	7528	418	461
MW-1800/2/15	1792	1912	695	15	2364	8066	445	488

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks

More sizes and important information on the following pages.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

feature radiators

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

492mm high (wall-mounted) / 612mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-500/3/5	492	612	245	5	332	1133	113	156
MW-500/3/6	492	612	290	6	398	1357	128	171
MW-500/3/7	492	612	335	7	464	1582	143	186
MW-500/3/8	492	612	380	8	530	1807	158	201
MW-500/3/9	492	612	425	9	597	2036	173	216
MW-500/3/10	492	612	470	10	663	2261	189	232
MW-500/3/11	492	612	515	11	729	2486	204	247
MW-500/3/12	492	612	560	12	796	2715	219	262
MW-500/3/13	492	612	605	13	862	2940	234	277
MW-500/3/14	492	612	650	14	927	3164	249	292
MW-500/3/15	492	612	695	15	995	3394	264	307
MW-500/3/16	492	612	740	16	1060	3618	280	323
MW-500/3/17	492	612	785	17	1126	3843	295	338
MW-500/3/18	492	612	830	18	1192	4068	310	353
MW-500/3/19	492	612	875	19	1259	4297	325	368
MW-500/3/20	492	612	920	20	1325	4522	340	383
MW-500/3/21	492	612	965	21	1391	4747	360	403
MW-500/3/22	492	612	1010	22	1458	4976	375	418
MW-500/3/23	492	612	1055	23	1524	5201	390	433
MW-500/3/24	492	612	1100	24	1590	5425	405	448
MW-500/3/25	492	612	1145	25	1657	5654	421	464

Longer sizes available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks.

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

592mm high (wall-mounted) / 712mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-600/3/5	592	712	245	5	390	1331	101	144
MW-600/3/6	592	712	290	6	469	1600	114	157
MW-600/3/7	592	712	335	7	546	1863	127	170
MW-600/3/8	592	712	380	8	625	2131	140	183
MW-600/3/9	592	712	425	9	702	2395	153	196
MW-600/3/10	592	712	470	10	780	2663	165	208
MW-600/3/11	592	712	515	11	859	2931	178	221
MW-600/3/12	592	712	560	12	936	3195	191	234
MW-600/3/13	592	712	605	13	1015	3463	204	247
MW-600/3/14	592	712	650	14	1092	3726	217	260
MW-600/3/15	592	712	695	15	1171	3994	230	273
MW-600/3/16	592	712	740	16	1249	4262	243	286
MW-600/3/17	592	712	785	17	1327	4526	256	299
MW-600/3/18	592	712	830	18	1405	4794	268	311
MW-600/3/19	592	712	875	19	1482	5058	281	324
MW-600/3/20	592	712	920	20	1561	5326	294	337
MW-600/3/21	592	712	965	21	1639	5594	311	354
MW-600/3/22	592	712	1010	22	1717	5858	324	367
MW-600/3/23	592	712	1055	23	1795	6126	337	380
MW-600/3/24	592	712	1100	24	1873	6389	350	393
MW-600/3/25	592	712	1145	25	1951	6657	363	406

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks.

More sizes and important information on the following pages.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

feature radiators

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

657mm high (wall-mounted) / 777mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-660/3/5	657	777	245	5	428	1461	102	145
MW-660/3/6	657	777	290	6	514	1755	115	158
MW-660/3/7	657	777	335	7	599	2045	128	171
MW-660/3/8	657	777	380	8	685	2339	141	184
MW-660/3/9	657	777	425	9	770	2628	154	197
MW-660/3/10	657	777	470	10	856	2922	167	210
MW-660/3/11	657	777	515	11	942	3214	180	223
MW-660/3/12	657	777	560	12	1027	3506	193	236
MW-660/3/13	657	777	605	13	1113	3798	206	249
MW-660/3/14	657	777	650	14	1199	4090	220	263
MW-660/3/15	657	777	695	15	1284	4382	233	276
MW-660/3/16	657	777	740	16	1370	4674	246	289
MW-660/3/17	657	777	785	17	1455	4966	259	302
MW-660/3/18	657	777	830	18	1541	5258	272	315
MW-660/3/19	657	777	875	19	1627	5550	285	328
MW-660/3/20	657	777	920	20	1713	5845	298	341
MW-660/3/21	657	777	965	21	1799	6139	315	358
MW-660/3/22	657	777	1010	22	1884	6428	328	371
MW-660/3/23	657	777	1055	23	1970	6722	341	384
MW-660/3/24	657	777	1100	24	2055	7012	354	397
MW-660/3/25	657	777	1145	25	2141	7306	367	410

Longer sizes available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks.

4 columns deep, depth = 148mm, distance wall to front face = 180mm

292mm high (wall-mounted) / 412mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-300/4/5	292	412	245	5	276	942	124	167
MW-300/4/6	292	412	290	6	332	1133	141	184
MW-300/4/7	292	412	335	7	386	1319	159	202
MW-300/4/8	292	412	380	8	442	1509	176	219
MW-300/4/9	292	412	425	9	497	1695	193	236
MW-300/4/10	292	412	470	10	552	1885	211	254
MW-300/4/11	292	412	515	11	608	2075	228	271
MW-300/4/12	292	412	560	12	663	2261	246	289
MW-300/4/13	292	412	605	13	718	2451	263	306
MW-300/4/14	292	412	650	14	773	2637	281	324
MW-300/4/15	292	412	695	15	829	2827	298	341
MW-300/4/16	292	412	740	16	884	3017	315	358
MW-300/4/17	292	412	785	17	939	3203	333	376
MW-300/4/18	292	412	830	18	995	3394	350	393
MW-300/4/19	292	412	875	19	1049	3579	368	411
MW-300/4/20	292	412	920	20	1105	3770	385	428
MW-300/4/21	292	412	965	21	1161	3960	407	450
MW-300/4/22	292	412	1010	22	1215	4146	424	467
MW-300/4/23	292	412	1055	23	1271	4336	442	485
MW-300/4/24	292	412	1100	24	1325	4522	459	502
MW-300/4/25	292	412	1145	25	1381	4712	476	519

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks

More sizes and important information on the following pages.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

feature radiators

4 columns deep, depth = 148mm, distance wall to front face = 180mm

492mm high (wall-mounted) / 612mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-500/4/5	492	612	245	5	431	1470	121	164
MW-500/4/6	492	612	290	6	517	1764	138	181
MW-500/4/7	492	612	335	7	603	2058	155	198
MW-500/4/8	492	612	380	8	689	2352	172	215
MW-500/4/9	492	612	425	9	775	2646	188	231
MW-500/4/10	492	612	470	10	862	2940	205	248
MW-500/4/11	492	612	515	11	948	3234	222	265
MW-500/4/12	492	612	560	12	1034	3528	239	282
MW-500/4/13	492	612	605	13	1120	3822	256	299
MW-500/4/14	492	612	650	14	1206	4115	273	316
MW-500/4/15	492	612	695	15	1292	4409	290	333
MW-500/4/16	492	612	740	16	1378	4703	306	349
MW-500/4/17	492	612	785	17	1465	4997	323	366
MW-500/4/18	492	612	830	18	1551	5291	340	383
MW-500/4/19	492	612	875	19	1637	5585	357	400
MW-500/4/20	492	612	920	20	1723	5879	374	417
MW-500/4/21	492	612	965	21	1809	6173	395	438
MW-500/4/22	492	612	1010	22	1895	6467	412	455
MW-500/4/23	492	612	1055	23	1982	6761	429	472
MW-500/4/24	492	612	1100	24	2068	7055	446	489
MW-500/4/25	492	612	1145	25	2154	7349	462	505

Longer sizes available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks.

4 columns deep, depth = 148mm, distance wall to front face = 180mm

592mm high (wall-mounted) / 712mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-600/4/5	592	712	245	5	509	1738	114	157
MW-600/4/6	592	712	290	6	611	2084	129	172
MW-600/4/7	592	712	335	7	712	2430	144	187
MW-600/4/8	592	712	380	8	813	2775	160	203
MW-600/4/9	592	712	425	9	916	3126	175	218
MW-600/4/10	592	712	470	10	1017	3471	190	233
MW-600/4/11	592	712	515	11	1119	3817	206	249
MW-600/4/12	592	712	560	12	1221	4167	221	264
MW-600/4/13	592	712	605	13	1323	4513	237	280
MW-600/4/14	592	712	650	14	1424	4859	252	295
MW-600/4/15	592	712	695	15	1527	5209	267	310
MW-600/4/16	592	712	740	16	1628	5555	283	326
MW-600/4/17	592	712	785	17	1729	5901	298	341
MW-600/4/18	592	712	830	18	1831	6247	313	356
MW-600/4/19	592	712	875	19	1933	6597	329	372
MW-600/4/20	592	712	920	20	2035	6943	344	387
MW-600/4/21	592	712	965	21	2136	7289	364	407
MW-600/4/22	592	712	1010	22	2239	7639	379	422
MW-600/4/23	592	712	1055	23	2340	7985	395	438
MW-600/4/24	592	712	1100	24	2442	8330	410	453
MW-600/4/25	592	712	1145	25	2544	8681	425	468

Longer sizes are available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks

More sizes and important information on the following pages.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

feature radiators

4 columns deep, depth = 148mm, distance wall to front face = 180mm

657mm high (wall-mounted) / 777mm high (floor-mounted)

	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		White price	
					Watts	BTUs	wall-mounted £	floor-standing £
MW-660/4/5	657	777	245	5	559	1906	116	159
MW-660/4/6	657	777	290	6	670	2287	132	175
MW-660/4/7	657	777	335	7	782	2667	148	191
MW-660/4/8	657	777	380	8	895	3052	163	206
MW-660/4/9	657	777	425	9	1006	3432	179	222
MW-660/4/10	657	777	470	10	1117	3813	195	238
MW-660/4/11	657	777	515	11	1229	4193	211	254
MW-660/4/12	657	777	560	12	1341	4576	227	270
MW-660/4/13	657	777	605	13	1453	4957	243	286
MW-660/4/14	657	777	650	14	1565	5338	258	301
MW-660/4/15	657	777	695	15	1676	5720	274	317
MW-660/4/16	657	777	740	16	1788	6101	290	333
MW-660/4/17	657	777	785	17	1900	6482	306	349
MW-660/4/18	657	777	830	18	2012	6864	322	365
MW-660/4/19	657	777	875	19	2123	7245	338	381
MW-660/4/20	657	777	920	20	2235	7626	353	396
MW-660/4/21	657	777	965	21	2347	8008	374	417
MW-660/4/22	657	777	1010	22	2459	8389	390	433
MW-660/4/23	657	777	1055	23	2570	8770	405	448
MW-660/4/24	657	777	1100	24	2682	9152	421	464
MW-660/4/25	657	777	1145	25	2794	9533	437	480

Longer sizes available. Please call for prices and further information.

Many other heights and depths are available by special order. Please allow 8 weeks.

IMPORTANT INFORMATION

- All Bordos are assembled to order (non-stock).
- White: approx 7 - 10 working days.
- Colours: If you are looking for radiators in this style that are in a colour other than white, please ask for more information or see the New Classic radiator.
- Floor-standing radiators come with insertable feet and wall stays (the heights of the floor-mounted models above include the height of the feet at 120mm).
- Wall-mounted radiators come with wall brackets – allow additional height for skirting board / air circulation.
- For longer sizes, joining tool is required for assembly on site (for £100 deposit). Please call for prices and further information.
- Side valve connections so add 150mm in total to the width of the radiator to allow for valves (these are not pipe centres).
- Approximate pipe centres can be provided if you wish to install your pipework in advance of receiving your radiator.
- Radiators are supplied with the necessary fixings i.e. brackets, spacers, air vents etc (note: screws are not supplied).
- To complete the look, see our valves page (valves are not included as standard).
- Nationwide delivery available – usually £25 per consignment.
- To order or for further information, please call or email.
- Heat outputs are shown at operating temperatures of 90/70/20 (Δt60°C).
- All sales are subject to our standard terms and conditions, a copy of which can be downloaded from our website.

The above prices are exclusive of VAT.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk