

feature radiators

Effective from 1st February 2012

THE CREAMERY

Timeless style. By popular demand, we bring you the Creamery, a classic steel column radiator finished in cream and available for delivery in *just 2 weeks from order*. Finished to a high standard, available in a wide range of sizes and offering affordable luxury, the Creamery is quite simply the cream of the crop.



IMPORTANT INFORMATION ABOUT CREAMERY RADIATORS

- Radiators are assembled and painted to order (non-stock).
- Delivery of cream radiators: approximately 2 to 3 weeks.
- Floor-standing radiators come with slip-on feet and wall stays (the heights of the floor-mounted models below include the height of the feet at 120mm).
- Wall-mounted radiators come with wall brackets – please allow additional height for skirting board.
- Longer sizes are available. Please call for prices and further information.
- Side valve connections so add 150mm in total to the width of the radiator to allow for valves (these are not pipe centres).
- Approximate pipe centres can be provided if you wish to install your pipework in advance of receiving your radiator. Radiators are supplied with the necessary fixings i.e. brackets, spacers, air vents etc (note: screws are not supplied).
- To complete the look, see our valves page (valves are not included as standard).
- Nationwide delivery available – usually £25 per consignment.
- To order or for further information, please call or email.
- Heat outputs are shown at operating temperatures of 90/70/20 ($\Delta t 60^{\circ}\text{C}$).
- All sales are subject to our standard terms and conditions, a copy of which can be downloaded from our website.

The below prices are exclusive of VAT.

Sizing and pricing information is shown on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

2 columns deep (depth = 66mm, distance wall to front face = 98mm)

Creamery / 592mm high (wall-mounted) / 712mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Heat output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-600/2/4	592	712	206	4	221	756	143	168
MW-600/2/5	592	712	251	5	277	947	170	195
MW-600/2/6	592	712	296	6	333	1137	196	221
MW-600/2/7	592	712	341	7	389	1327	223	248
MW-600/2/8	592	712	386	8	443	1513	250	274
MW-600/2/9	592	712	431	9	499	1703	276	301
MW-600/2/10	592	712	476	10	555	1893	303	327
MW-600/2/11	592	712	521	11	610	2082	329	354
MW-600/2/12	592	712	566	12	666	2271	356	380
MW-600/2/13	592	712	611	13	721	2460	382	407
MW-600/2/14	592	712	656	14	776	2649	409	434
MW-600/2/15	592	712	701	15	832	2838	435	460
MW-600/2/16	592	712	746	16	887	3027	462	487
MW-600/2/17	592	712	791	17	943	3217	489	513
MW-600/2/18	592	712	836	18	998	3406	515	540
MW-600/2/19	592	712	881	19	1054	3595	542	566
MW-600/2/20	592	712	926	20	1109	3784	568	593
MW-600/2/21	592	712	971	21	1164	3973	595	620
MW-600/2/22	592	712	1016	22	1220	4162	621	646
MW-600/2/23	592	712	1061	23	1275	4351	648	673
MW-600/2/24	592	712	1106	24	1332	4543	687	730
MW-600/2/25	592	712	1151	25	1387	4734	713	757

Longer sizes are available. Please call for prices and further information.

2 columns deep (depth = 66mm, distance wall to front face = 98mm)

Creamery / 1792mm high (wall-mounted) / 1912mm high (floor-mounted)

Code	Height Wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Heat output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-1800/2/4	1792	1912	206	4	629	2146	217	242
MW-1800/2/5	1792	1912	251	5	788	2689	262	287
MW-1800/2/6	1792	1912	296	6	946	3226	307	332
MW-1800/2/7	1792	1912	341	7	1103	3764	352	377
MW-1800/2/8	1792	1912	386	8	1261	4302	397	422
MW-1800/2/9	1792	1912	431	9	1418	4840	442	467
MW-1800/2/10	1792	1912	476	10	1576	5377	487	512
MW-1800/2/11	1792	1912	521	11	1734	5915	532	557
MW-1800/2/12	1792	1912	566	12	1891	6453	577	602
MW-1800/2/13	1792	1912	611	13	2049	6991	622	647
MW-1800/2/14	1792	1912	656	14	2206	7528	667	692
MW-1800/2/15	1792	1912	701	15	2364	8066	712	737

Longer sizes are available. Please call for prices and further information.

More sizes and important information on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

Creamery / 492mm high (wall-mounted) / 612mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-500/3/4	492	612	206	4	265	905	148	173
MW-500/3/5	492	612	251	5	332	1133	176	201
MW-500/3/6	492	612	296	6	398	1357	204	228
MW-500/3/7	492	612	341	7	464	1582	232	256
MW-500/3/8	492	612	386	8	530	1807	259	284
MW-500/3/9	492	612	431	9	597	2036	287	312
MW-500/3/10	492	612	476	10	663	2261	315	340
MW-500/3/11	492	612	521	11	729	2486	343	367
MW-500/3/12	492	612	566	12	796	2715	370	395
MW-500/3/13	492	612	611	13	862	2940	398	423
MW-500/3/14	492	612	656	14	927	3164	426	451
MW-500/3/15	492	612	701	15	995	3394	454	479
MW-500/3/16	492	612	746	16	1060	3618	482	506
MW-500/3/17	492	612	791	17	1126	3843	509	534
MW-500/3/18	492	612	836	18	1192	4068	537	562
MW-500/3/19	492	612	881	19	1259	4297	565	590
MW-500/3/20	492	612	926	20	1325	4522	593	617
MW-500/3/21	492	612	971	21	1391	4747	621	645
MW-500/3/22	492	612	1016	22	1458	4976	648	673
MW-500/3/23	492	612	1061	23	1524	5201	676	701
MW-500/3/24	492	612	1106	24	1590	5425	716	759
MW-500/3/25	492	612	1151	25	1657	5654	744	787

Longer sizes available. Please call for prices and further information.

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

Creamery / 592mm high (wall-mounted) / 712mm high (floor-mounted)

Code	Height Wall-mounted mm	Height Floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-600/3/4	592	712	206	4	311	1063	153	178
MW-600/3/5	592	712	251	5	390	1331	182	207
MW-600/3/6	592	712	296	6	469	1600	211	236
MW-600/3/7	592	712	341	7	546	1863	240	265
MW-600/3/8	592	712	386	8	625	2131	269	294
MW-600/3/9	592	712	431	9	702	2395	298	323
MW-600/3/10	592	712	476	10	780	2663	327	352
MW-600/3/11	592	712	521	11	859	2931	356	381
MW-600/3/12	592	712	566	12	936	3195	385	410
MW-600/3/13	592	712	611	13	1015	3463	414	439
MW-600/3/14	592	712	656	14	1092	3726	443	468
MW-600/3/15	592	712	701	15	1171	3994	472	497
MW-600/3/16	592	712	746	16	1249	4262	501	526
MW-600/3/17	592	712	791	17	1327	4526	530	555
MW-600/3/18	592	712	836	18	1405	4794	559	584
MW-600/3/19	592	712	881	19	1482	5058	588	613
MW-600/3/20	592	712	926	20	1561	5326	617	642
MW-600/3/21	592	712	971	21	1639	5594	646	671
MW-600/3/22	592	712	1016	22	1717	5858	675	700
MW-600/3/23	592	712	1061	23	1795	6126	704	729
MW-600/3/24	592	712	1106	24	1873	6389	746	789
MW-600/3/25	592	712	1151	25	1951	6657	775	818

Longer sizes are available. Please call for prices and further information.

More sizes and important information on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

3 columns deep (depth = 107mm, distance wall to front face = 139mm)

Creamery / 742mm high (wall-mounted) / 862mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-750/3/4	742	862	206	4	381	1301	158	183
MW-750/3/5	742	862	251	5	477	1626	188	213
MW-750/3/6	742	862	296	6	572	1951	218	243
MW-750/3/7	742	862	341	7	667	2276	249	273
MW-750/3/8	742	862	386	8	762	2601	279	304
MW-750/3/9	742	862	431	9	858	2927	309	334
MW-750/3/10	742	862	476	10	953	3252	339	364
MW-750/3/11	742	862	521	11	1048	3577	370	394
MW-750/3/12	742	862	566	12	1144	3902	400	425
MW-750/3/13	742	862	611	13	1239	4227	430	455
MW-750/3/14	742	862	656	14	1334	4553	460	485
MW-750/3/15	742	862	701	15	1430	4878	491	515
MW-750/3/16	742	862	746	16	1525	5203	521	545
MW-750/3/17	742	862	791	17	1620	5528	551	576
MW-750/3/18	742	862	836	18	1716	5853	581	606
MW-750/3/19	742	862	881	19	1811	6178	612	636
MW-750/3/20	742	862	926	20	1906	6504	642	666
MW-750/3/21	742	862	971	21	2001	6829	672	697
MW-750/3/22	742	862	1016	22	2097	7154	702	727
MW-750/3/23	742	862	1061	23	2192	7479	732	757
MW-750/3/24	742	862	1106	24	2287	7804	775	818
MW-750/3/25	742	862	1151	25	2383	8130	805	848

Longer sizes are available. Please call for prices and further information.

4 columns deep, depth = 148mm, distance wall to front face = 180mm

Creamery / 292mm high (wall-mounted) / 412mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-300/4/4	292	412	206	4	220	752	158	183
MW-300/4/5	292	412	251	5	276	942	188	213
MW-300/4/6	292	412	296	6	332	1133	218	243
MW-300/4/7	292	412	341	7	386	1319	249	273
MW-300/4/8	292	412	386	8	442	1509	279	304
MW-300/4/9	292	412	431	9	497	1695	309	334
MW-300/4/10	292	412	476	10	552	1885	339	364
MW-300/4/11	292	412	521	11	608	2075	370	394
MW-300/4/12	292	412	566	12	663	2261	400	425
MW-300/4/13	292	412	611	13	718	2451	430	455
MW-300/4/14	292	412	656	14	773	2637	460	485
MW-300/4/15	292	412	701	15	829	2827	491	515
MW-300/4/16	292	412	746	16	884	3017	521	545
MW-300/4/17	292	412	791	17	939	3203	551	576
MW-300/4/18	292	412	836	18	995	3394	581	606
MW-300/4/19	292	412	881	19	1049	3579	612	636
MW-300/4/20	292	412	926	20	1105	3770	642	666
MW-300/4/21	292	412	971	21	1161	3960	672	697
MW-300/4/22	292	412	1016	22	1215	4146	702	727
MW-300/4/23	292	412	1061	23	1271	4336	732	757
MW-300/4/24	292	412	1106	24	1325	4522	775	818
MW-300/4/25	292	412	1151	25	1381	4712	805	848

Longer sizes are available. Please call for prices and further information.

More sizes and important information on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

4 columns deep, depth = 148mm, distance wall to front face = 180mm

Creamery / 492mm high (wall-mounted) / 612mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-500/4/4	492	612	206	4	344	1173	163	188
MW-500/4/5	492	612	251	5	431	1470	194	219
MW-500/4/6	492	612	296	6	517	1764	226	250
MW-500/4/7	492	612	341	7	603	2058	257	282
MW-500/4/8	492	612	386	8	689	2352	289	313
MW-500/4/9	492	612	431	9	775	2646	320	345
MW-500/4/10	492	612	476	10	862	2940	352	376
MW-500/4/11	492	612	521	11	948	3234	383	408
MW-500/4/12	492	612	566	12	1034	3528	415	439
MW-500/4/13	492	612	611	13	1120	3822	446	471
MW-500/4/14	492	612	656	14	1206	4115	477	502
MW-500/4/15	492	612	701	15	1292	4409	509	534
MW-500/4/16	492	612	746	16	1378	4703	540	565
MW-500/4/17	492	612	791	17	1465	4997	572	597
MW-500/4/18	492	612	836	18	1551	5291	603	628
MW-500/4/19	492	612	881	19	1637	5585	635	659
MW-500/4/20	492	612	926	20	1723	5879	666	691
MW-500/4/21	492	612	971	21	1809	6173	698	722
MW-500/4/22	492	612	1016	22	1895	6467	729	754
MW-500/4/23	492	612	1061	23	1982	6761	761	785
MW-500/4/24	492	612	1106	24	2068	7055	804	848
MW-500/4/25	492	612	1151	25	2154	7349	836	879

Longer sizes are available. Please call for prices and further information.

4 columns deep, depth = 148mm, distance wall to front face = 180mm

Creamery / 592mm high (wall-mounted) / 712mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-600/4/4	592	712	206	4	406	1385	168	192
MW-600/4/5	592	712	251	5	509	1738	200	225
MW-600/4/6	592	712	296	6	611	2084	233	258
MW-600/4/7	592	712	341	7	712	2430	266	290
MW-600/4/8	592	712	386	8	813	2775	298	323
MW-600/4/9	592	712	431	9	916	3126	331	356
MW-600/4/10	592	712	476	10	1017	3471	364	389
MW-600/4/11	592	712	521	11	1119	3817	397	421
MW-600/4/12	592	712	566	12	1221	4167	429	454
MW-600/4/13	592	712	611	13	1323	4513	462	487
MW-600/4/14	592	712	656	14	1424	4859	495	519
MW-600/4/15	592	712	701	15	1527	5209	527	552
MW-600/4/16	592	712	746	16	1628	5555	560	585
MW-600/4/17	592	712	791	17	1729	5901	593	617
MW-600/4/18	592	712	836	18	1831	6247	625	650
MW-600/4/19	592	712	881	19	1933	6597	658	683
MW-600/4/20	592	712	926	20	2035	6943	691	715
MW-600/4/21	592	712	971	21	2136	7289	723	748
MW-600/4/22	592	712	1016	22	2239	7639	756	781
MW-600/4/23	592	712	1061	23	2340	7985	789	813
MW-600/4/24	592	712	1106	24	2442	8330	834	877
MW-600/4/25	592	712	1151	25	2544	8681	866	910

Longer sizes are available. Please call for prices and further information.

More sizes and important information on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

4 columns deep, depth = 148mm, distance wall to front face = 180mm

Creamery / 742mm high (wall-mounted) / 862mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-750/4/4	742	862	206	4	499	1701	171	196
MW-750/4/5	742	862	251	5	623	2126	205	230
MW-750/4/6	742	862	296	6	748	2551	239	263
MW-750/4/7	742	862	341	7	872	2977	272	297
MW-750/4/8	742	862	386	8	997	3402	306	331
MW-750/4/9	742	862	431	9	1122	3827	339	364
MW-750/4/10	742	862	476	10	1246	4252	373	398
MW-750/4/11	742	862	521	11	1371	4678	407	431
MW-750/4/12	742	862	566	12	1496	5103	440	465
MW-750/4/13	742	862	611	13	1620	5528	474	499
MW-750/4/14	742	862	656	14	1745	5953	507	532
MW-750/4/15	742	862	701	15	1869	6379	541	566
MW-750/4/16	742	862	746	16	1994	6804	575	599
MW-750/4/17	742	862	791	17	2119	7229	608	633
MW-750/4/18	742	862	836	18	2243	7654	642	667
MW-750/4/19	742	862	881	19	2368	8080	675	700
MW-750/4/20	742	862	926	20	2493	8505	709	734
MW-750/4/21	742	862	971	21	2617	8930	743	767
MW-750/4/22	742	862	1016	22	2742	9355	776	801
MW-750/4/23	742	862	1061	23	2866	9780	810	835
MW-750/4/24	742	862	1106	24	2991	10206	856	899
MW-750/4/25	742	862	1151	25	3116	10631	889	933

Longer sizes available. Please call for prices and further information.

6 columns deep, depth = 230mm, distance wall to front face = 262mm

Creamery / 292mm high (wall-mounted) / 412mm high (floor-mounted)

Code	Height wall-mounted mm	Height floor-standing mm	Width mm	Number of sections	Output		wall-mounted £	floor-standing £
					Watts	BTUs		
MW-300/6/4	292	412	206	4	318	1085	198	222
MW-300/6/5	292	412	251	5	398	1356	238	262
MW-300/6/6	292	412	296	6	477	1628	278	302
MW-300/6/7	292	412	341	7	557	1899	318	343
MW-300/6/8	292	412	386	8	636	2170	358	383
MW-300/6/9	292	412	431	9	716	2441	398	423
MW-300/6/10	292	412	476	10	795	2713	438	463
MW-300/6/11	292	412	521	11	875	2984	478	503
MW-300/6/12	292	412	566	12	954	3255	519	543
MW-300/6/13	292	412	611	13	1034	3527	559	583
MW-300/6/14	292	412	656	14	1113	3798	599	624
MW-300/6/15	292	412	701	15	1193	4069	639	664
MW-300/6/16	292	412	746	16	1272	4340	679	704
MW-300/6/17	292	412	791	17	1352	4612	719	744
MW-300/6/18	292	412	836	18	1431	4883	759	784
MW-300/6/19	292	412	881	19	1511	5154	799	824
MW-300/6/20	292	412	926	20	1590	5425	840	864
MW-300/6/21	292	412	971	21	1670	5697	880	904
MW-300/6/22	292	412	1016	22	1749	5968	920	945
MW-300/6/23	292	412	1061	23	1829	6239	960	985
MW-300/6/24	292	412	1106	24	1908	6511	1012	1056
MW-300/6/25	292	412	1151	25	1988	6782	1053	1096

Longer sizes are available. Please call for prices and further information.

Important information on the following pages.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

IMPORTANT INFORMATION ABOUT CREAMERY RADIATORS

- Radiators are assembled and painted to order (non-stock).
- Delivery of cream radiators in approx 2 to 3 weeks.
- Floor-standing radiators come with slip-on feet and wall stays (the heights of the floor-mounted models below include the height of the feet at 120mm).
- Wall-mounted radiators come with wall brackets – please allow additional height for skirting board.
- Longer sizes are available. Please call for prices and further information.
- Side valve connections so add 150mm in total to the width of the radiator to allow for valves (these are not pipe centres).
- Approximate pipe centres can be provided if you wish to install your pipework in advance of receiving your radiator. Radiators are supplied with the necessary fixings i.e. brackets, spacers, air vents etc (note: screws are not supplied).
- To complete the look, see our valves page (valves are not included as standard).
- Nationwide delivery available – usually £25 per consignment.
- To order or for further information, please call or email.
- Heat outputs are shown at operating temperatures of 90/70/20 ($\Delta t 60^{\circ}\text{C}$).
- All sales are subject to our standard terms and conditions, a copy of which can be downloaded from our website.

The above prices are exclusive of VAT.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk