

ETONIAN - ELECTRIC



Top of the class - the Etonian brings timeless design, exceptional quality and efficient practical heating to any home. Ideal for both old and new properties, the Etonian is widely used in a range of settings from National Trust Properties to cutting edge grand designs. This classically styled cast iron radiator is designed with elegant integral legs and simple detail emphasised by the unusually high standard of casting.

Made exclusively for Feature Radiators, by the best in Europe, the radiator sections are joined together using seals that have been specifically sourced to ensure a neat finish between sections. This avoids the risk of paint issues that have been seen in inferior cast iron radiators where standard seals are used. The Etonian has a proven track record, and is a cast iron favourite amongst top end designers, architects and industry experts. Recently voted the "best cast iron radiator" by Homebuilding and Renovating Magazine, the Etonian continues to be our cast iron best seller – and now available in electric form – 600 watts – 2000 watts.

Listed below are the shortest length radiators needed to accommodate the relevant sized element. If you wish to have longer radiators for aesthetic reasons then these can be made up. Please ask for prices.

Sizes: 4 columns deep (175mm deep) – 5 heights – 357mm, 475mm, 660mm, 760mm and 960mm
6 columns deep (252mm deep) – 2 heights – 485mm and 660mm

Delivered to site, ready to install and pre-assembled up to 20 sections long (1236mm long).

Finishes

Primer: For on site painting or for delivery direct to your chosen painting company in the UK

Standard painted finishes: Traditional matt metallics - antique gold, light old penny, dark old penny, natural cast iron, anthracite, pewter – colour card available

Bespoke colour match: We can colour match to any non-textured paint range (including Farrow and Ball, Aga, Rayburn, Little Greene Paint Co, Fired Earth, Paint Library and Dulux colours) for an additional charge.

Notes:

Cast iron radiators have a textured finish. For a smooth finish please see our Classic and Bordo ranges, which are made of steel.

Shade variations may occur from one paint batch to the next and over the years our standard for some colours has changed. Accordingly, where radiators are to be used in the same room and/or a colour match is important, it is advisable to order all radiators at the same time. If you are looking to colour match to radiators ordered previously, please make us aware of this at time of order so we can minimize shade variation.

Pewter, white, cream and other light coloured paint finishes will highlight the imperfections characteristic of cast iron more than the darker colours.

For radiators in primer we strongly advise against powder coating as this process can weaken the seals between sections. Powder coating will invalidate the manufacturer's guarantee.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

feature radiators

ETONIAN 4 column 357mm high (175mm deep)

Code	Sections	Length (mm)	Heat output Watts	Primer £	Painted (standard finishes) £
ETON/28-4/14/E	14	873	600	399	539
ETON/28-4/20/E	20	1236	900	462	662

ETONIAN 4 column 475mm high (175mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/42-4/10/E	10	631	600	376	476	[9]
ETON/42-4/14/E	14	873	900	420	560	0
ETON/42-4/19/E	19	1176	1200	522	712	0

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

ETONIAN 4 column 660mm high (175mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/60-4/8/E	8	510	600	380	460	[29]
ETON/60-4/10/E	10	631	900	396	496	[9]
ETON/60-4/13/E	13	813	1200	468	598	0
ETON/60-4/17/E	17	1055	1500	563	733	0

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

ETONIAN 4 column 760mm high (175mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/70-4/8/E	8	510	600	408	488	[29]
ETON/70-4/9/E	9	571	900	400	490	[19]
ETON/70-4/12/E	12	752	1200	481	601	0
ETON/70-4/15/E	15	934	1500	562	712	0
ETON/70-4/19/E	*19	1176	2000	669	859	0

*Radiators will arrive in 2 blocks to be joined together on site. Joining tool required and supplied on a sale or return basis (£100 + VAT refundable deposit)

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

ETONIAN 4 column 960mm high (175mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/90-4/8/E	8	510	900	436	516	[29]
ETON/90-4/9/E	9	571	1200	471	561	[19]
ETON/90-4/11/E	11	692	1500	541	651	0
ETON/90-4/15/E	15	934	2000	671	821	0

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

The above prices are exclusive of VAT.

www.featureradiators.co.uk

Bingley Railway Station, Wellington Street, Bingley, West Yorkshire BD16 2NB
Tel. 01274 567789 Fax. 01274 561183 Email: contact@featureradiators.co.uk

ETONIAN 6 column 485mm high (252mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/42-6/8/E	8	510	600	396	476	[29]
ETON/42-6/10/E	10	631	900	414	514	[9]
ETON/42-6/13/E	13	813	1200	490	620	0
ETON/42-6/16/E	16	994	1500	567	727	0

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

ETONIAN 6 column 660mm high (252mm deep)

Code	Sections	Length (mm)	Element Wattage	Primer £	Painted (Standard finishes) £	#Painting surcharge (if applicable) £
ETON/60-6/8/E	8	510	900	420	500	[29]
ETON/60-6/10/E	10	631	1200	485	585	[9]
ETON/60-6/12/E	12	752	1500	551	671	0
ETON/60-6/16/E	16	994	2000	673	833	0

*Radiators will arrive in 2 blocks to be joined together on site. Joining tool required and supplied on a sale or return basis (£100 + VAT refundable deposit)

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

Electric element

- Comes with 1 year warranty
- The electric element supplied is for DIY installation on site – full instructions provided. The element can be fitted on either side. It is supplied with 1m of white flex
- Adjustable (operating range 20-70°C) thermostatically controlled element with frost protection setting, 240V on/off operation
- Please note the electric elements and associated parts are supplied in white as standard. Other colours available – please ask for details
- Please allow an extra 60mm width for the element control box

- Other sizes – other sizes are available, please ask for details.
- Lead times - primer finish: allow approx 10 – 15 working days. top coat finish: please allow approx 4-5 weeks
- Delivery - nationwide - usually £25 per consignment
- For the radiator - 10 year manufacturer's guarantee against manufacturing defects – maximum working pressure of 6 bar
- Fixings - radiators are supplied with the necessary fixings i.e. wall bracket, plugs, bushes – note: fixing screws are not supplied
- Depth of radiators – overall depths are stated, ie. allowing for legs. depths of radiators without legs - 144mm for 4 columns, 221mm for 6 columns
- Floor mounted as standard - wall mounted versions with no feet also available for the same price as the floor-mounted (height as above less 60mm) – please specify when ordering
- Radiator assembly - 357mm and 475mm high 4 column radiators and 485mm high 6 column radiators - up to 20 sections can be delivered to site ready assembled. All other heights – up to 17 sections can be delivered to site ready assembled. For larger sizes a joining tool is required for on site assembly.
- Also available as central heating radiator
- All sales are subject to our standard terms and conditions, a copy of which can be downloaded from our website.

The above prices are exclusive of VAT.