

feature radiators

LIBERTY

Pricelist effective from 1st February 2012

Two column cast iron radiator - Vintage luxury. Supplied pre-assembled up to 15 sections.



LIBERTY 660mm high (203mm deep)

Sections	Length (mm)	Heat output		Primer	Painted	#Painting surcharge (if applicable)
		Watts	BTUs	£	£	£
4	328	563	1919	286	326	[69]
5	404	703	2399	307	357	[59]
6	480	844	2879	363	423	[49]
7	556	984	3359	418	488	[39]
8	632	1125	3839	474	554	[29]
9	708	1266	4319	521	611	[19]
10	784	1406	4799	576	676	9
11	860	1547	5278	631	741	0
12	936	1688	5758	685	805	0
13	1012	1828	6238	740	870	0
14	1088	1969	6718	794	934	0
15	1164	2110	7198	849	999	0
16*	1240	2250	7678	904	1064	0
17*	1316	2391	8158	958	1128	0
18*	1392	2531	8637	1013	1193	0
19*	1468	2672	9117	1067	1257	0
20*	1544	2813	9597	1122	1322	0
21*	1620	2953	10077	1185	1395	0

Sizes longer than 21 sections available. Please ask for details.

*Radiators will arrive in 2 blocks to be joined together on site. Joining tool required and supplied on a sale or return basis (£100 + VAT refundable deposit)

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

MORE SIZES AND IMPORTANT INFORMATION ON THE FOLLOWING PAGES.

The above prices shown are exclusive of VAT.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

feature radiators

LIBERTY 760mm high (203mm deep)

Sections	Length (mm)	Heat output		Primer £	Painted £	#Painting surcharge (if applicable) £
		Watts	BTUs			
4	328	613	2092	317	357	[69]
5	404	767	2615	342	392	[59]
6	480	920	3139	404	464	[49]
7	556	1073	3662	467	537	[39]
8	632	1226	4185	521	601	[29]
9	708	1380	4708	583	673	[19]
10	784	1533	5231	644	744	9
11	860	1686	5754	705	815	0
12	936	1840	6277	767	887	0
13	1012	1993	6800	828	958	0
14	1088	2146	7323	890	1030	0
15	1164	2300	7846	951	1101	0
16*	1240	2453	8369	1012	1172	0
17*	1316	2606	8892	1074	1244	0
18*	1392	2760	9416	1135	1315	0
19*	1468	2913	9939	1196	1386	0
20*	1544	3066	10462	1258	1458	0
21*	1620	3219	10981	1328	1538	0

Sizes longer than 21 sections available. Please ask for details.

*Radiators will arrive in 2 blocks to be joined together on site. Joining tool required and supplied on a sale or return basis (£100 + VAT refundable deposit)

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

LIBERTY 954mm high (203mm deep)

Sections	Length (mm)	Heat output		Primer £	Painted £	#Painting surcharge (if applicable) £
		Watts	BTUs			
4	328	765	2611	347	387	[69]
5	404	957	3264	427	477	[59]
6	480	1148	3917	498	558	[49]
7	556	1148	3917	576	646	[39]
8	632	1339	4569	654	734	[29]
9	708	1531	5222	732	822	[19]
10	784	1722	5875	810	910	9
11	860	1913	6528	888	998	0
12	936	2104	7181	966	1086	0
13	1012	2296	7833	1044	1174	0
14	1088	2487	8486	1122	1262	0
15	1164	2678	9139	1200	1350	0
16*	1240	2870	9792	1278	1438	0
17*	1316	3061	10444	1356	1526	0
18*	1392	3252	11097	1434	1614	0
19*	1468	3444	11750	1512	1702	0
20*	1544	3635	12403	1590	1790	0
21*	1620	3826	13055	1677	1887	0

Sizes longer than 21 sections available. Please ask for details.

*Radiators will arrive in 2 blocks to be joined together on site. Joining tool required and supplied on a sale or return basis (£100 + VAT refundable deposit)

#Painting surcharge does not apply if more than one radiator is ordered in the same colour.

IMPORTANT INFORMATION OVERLEAF.

The above prices shown are exclusive of VAT.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk

IMPORTANT INFORMATION

Finishes:

Primer: For on site painting or for delivery direct to your chosen painting company in the UK

Standard painted finishes: Traditional matt metallics - antique gold, light old penny, dark old penny, natural cast iron, anthracite, pewter – colour card available.

Wide range of semi-gloss RAL colours – colour card available

Bespoke colour match: We can colour match to any non-textured paint range (including Farrow and Ball, Aga, Rayburn, Little Greene Paint Co, Fired Earth, Paint Library and Dulux colours) for an additional charge.

Notes:

Cast iron radiators have a textured finish. For a smooth finish please see our Classic and Bordo ranges, which are made of steel.

Shade variations may occur from one paint batch to the next and over the years our standard for some colours has changed. Accordingly, where radiators are to be used in the same room and/or a colour match is important, it is advisable to order all radiators at the same time. If you are looking to colour match to radiators ordered previously, please make us aware of this at time of order so we can minimize shade variation.

Pewter, white, cream and other light coloured paint finishes will highlight the imperfections characteristic of cast iron more than the darker colours.

For radiators in primer, we strongly advise against powder coating as this process can weaken the seals between sections. Powder coating will invalidate the manufacturer's guarantee.

- **Lead times** - primer finish: allow approx 10 - 15 working days. Top coat finish: please allow approx 5 – 6 weeks
- **Quality** - Our radiator sections are joined together using seals which have been specifically sourced to ensure a neat finish between sections. This avoids the risk of paint issues that have been seen in cast iron radiators where standard seals are used.
- **Delivery** - nationwide - usually £25 per consignment
- **Manufacturer's guarantee** - 10 year manufacturer's guarantee against manufacturing defects – maximum working pressure of 6 bar
- **Ready assembled** – up to 15 sections can be delivered to site ready assembled. For larger sizes a joining tool is required
- **Longer sizes** - further sections may be assembled on site for longer radiators – each section is 76mm wide , end bushes = 24mm. joining tool is required – joining tool with instructions can be supplied for £100 refundable deposit
- **Fixings** - radiators are supplied with the necessary fixings i.e. wall bracket, plugs, bushes, vents, ½" connections as standard (3/4" connections available on request) - note: screws are not supplied
- **Valves** - to complete the look see our valves page for traditional style valves (valves are not included as standard)
- **Heat outputs** are shown at operating temperatures of 90/70/20 ($\Delta t 60^{\circ}\text{C}$)
- **Pipe centre measurements**
 - Wall to pipe centre measurements: 122mm or 132mm - the standard bracket supplied has a choice of 2 settings. use the greater wall to pipe centre measurement to accommodate skirting boards. Adjustable bracket is available on request.
 - Tapping centres = length of radiator
 - Pipe centre to pipe centre = tapping centres (width of radiator) plus appropriate amount for valves.
- **Water treatment** – the manufacturer's guarantee will only be valid if your radiators are installed in accordance BS 5449 section five commissioning. On completion of installation the system should be properly flushed and filled to remove debris and minimise the presence of solid particles and chemical residues, which may cause corrosion and damage within the system. use of the corrosion inhibitor should be in accordance with the manufacturer's instructions and recommendations and should take into account the particular metals within the system
- All sales are subject to our standard terms and conditions, a copy of which is available on request.

The above prices are exclusive of VAT.

www.featureradiators.co.uk

bingley railway station, wellington street, bingley, west yorkshire bd16 2nb
tel. 01274 567789 fax. 01274 561183 email: contact@featureradiators.co.uk